



**WOLF**



CE

[Wolfloader.com](http://Wolfloader.com)

# EXCAVATOR WE08



# Specifications

Operating Weight	880kg
Digging bucket capacity	0.025cbm
Digging bucket width	400mm
Engine	KD192F-1 E5
Rated power	7kw
Displacement	6.8ml/r
Bore stroke	single cylinder, fan cool
Main pump	JINXING
Pump flow	16L/min
Hydraulic oil tank capacity	16.5L
Engine oil tank capacity	2.8(1.3)L
Diesel tank capacity	7 L
Working pressure	16Mpa
Valve	BEIFANG
Swing motor	KEERSEN
Traveling motor	USA EATON
Hydraulic oil tank	16.5L
Diesel oil tank	7L
Arm digging force	5.0Kn
Bucket digging force	9.5Kn
Electric pressure	12V
Electrick power	5W

## MAIN DIMENSIONS

Overall dimension( LxWxH)	2770×896×1490 mm
Wheelbase	910 mm
Total length of track on land	1230mm
Platform ground clearance	380 mm
Platform back turning radius	784 mm
Chassis width	896 mm
Track width	180 mm
Chassis ground clearance	132 mm
Track height	320 mm

## OPERATING RANGE

Max. Digging depth	1650 mm
Max. Vertical digging depth	1375 mm
Max. Digging height	2610 mm
Max. Dumping height	1850 mm
Max. Digging radius on ground	2850 mm
Min. Rotation radius	1330 mm
Max. Upgrade height of bulldozer blade	345 mm
Max. Digging depth of bulldozer blade	255 mm





**QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD.** [MAINLAND]

**WOLF EQUIPMENT PTE.LTD.** [SINGAPORE]



TEL: 0086-532-66739792

FAX: 0086-532-66739791

info@chinawheelloaders.com

WHATSAPP: 0086-13589171650

NO.88 CHUNYANG RD,CHENGYANG,  
QINGDAO,CHINA

**[www.wolfloader.com](http://www.wolfloader.com)**