



Always be here with you!



CE


WHEEL LOADER

WL280



Specifications

Engine Model:	YTO YT4A4Z-24
Rated Power(kw):	85
Rated Speed(rpm):	2400
Rated load(kg):	2800
Rated Bucket Capacity(m ³):	1.2-1.5
Overall Size LxWxH(mm):	6500×2100×3050
Wheel base (mm):	2530
Wheel thread(mm):	2000
Max.breakout force (KN):	112
Max.dump height(mm):	3600
Dump distance(mm):	1035
Total time(s):	9.3
Operating Weight(kg):	6500
Tyre:	16/70-24



DESCRIPTION

With these loaders, low overhead also applies to maintenance. Their lockable easy-open tilting hoods provide convenient, ground-level access to daily checkpoints, as well as periodic service items such as fluids and filters. What's more, environmentally friendly drains, extended service intervals, and sight gauges help keep maintenance simple and inexpensive.





QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD.
WOLF (QINGDAO) EQUIPMENT CO.,LTD.



Tel: 0086-532-66739792

Email: info@chinawheelloaders.com

WeChat/Whatsapp: +8613589171650

Address: No.88 Chunyang Rd,Chengyang,Qingdao,China