

Always be here with you!




WHEEL LOADER MINI 780HT



Specifications

Engine Model:	KUBOTA V1505 E5 / EPA
Rated Power(kw):	18.2
Rated Speed(rpm):	2300
Rated load(kg):	800
Rated Bucket Capacity(m3):	0.3-0.4
Overall Size LxWxH(mm):	4537×1520×2279
Wheel base (mm):	1595
Wheel thread(mm):	1175
Max.breakout force (KN):	50
Max.dump height(mm):	2758
Dump distance(mm):	1378
Total time(s):	7.3
Operating Weight(kg):	2500
Tyre:	31×15.5-15



R33330



DESCRIPTION

WOLF Mini780HT loader is a telescopic loader based on Mini780H. It is powered by Kubota engine, which is certified with both Euro 5 and EPA Tier 4 standards. PWG hydrostatic driving system gives this loader a pleasant joy to operate. Electric joystick, back camera, hydraulic quick hitch are all included as standard configurations for this loader.







QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD. WOLF (QINGDAO) EQUIPMENT CO.,LTD.



Tel: 0086-532-66739792

Email: info@chinawheelloaders.com WeChat/Whatsapp: +8613589171650

Address: No.88 Chunyang Rd, Chengyang, Qingdao, China