



Always be here with you!



CE



WHEEL LOADER

WL933N



Specifications

Bucket Capacity(Cbm):	1.5
Rated Load(Kg):	2800
Overall Weight(Kg):	7500
Max. Dumping Height(mm):	3650
Standard Engine:	DEUTZ
Rated Power(Kw):	92
Rated Speed(R/Min):	2400
Optional Engine:	CUMMINS 6BT5.9-C130/CUMMINS QSF3.8
Wheel Base(mm):	2615
Wheel Thread(mm):	1680
L×W×H (mm):	6850×2200×3080
Standard Tire:	16/70-24
Option Tire:	17.5/25



DESCRIPTION

The WL 933N loader is a cost-effective option for construction site operations, road engineering, material handling, and snow removal jobs. Equipped with a euro standard quick hitch design, it can be used with multiple attachments to suit different needs. The engine of the loader is low-maintenance, designed with basic features to keep it simple and affordable. The WL 933N has a 1.5 m³ bucket and a rated load of 2.8 tons. It can be equipped with either an EPA Tier 4 engine or a Euro V engine. The operator cab features A/C, AM/FM and USB radio, and is ROPS/FOPS certified with excellent 360-degree visibility for a comfortable and safe working environment.





QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD.

WOLF (QINGDAO) EQUIPMENT CO.,LTD.



Tel: 0086-532-66739792

Email: info@chinawheelloaders.com

WeChat/Whatsapp: +8613589171650

Address: No.88 Chunyang Rd,Chengyang,Qingdao,China