



Always be here with you!



CE

EXCAVATOR WE16C



Specifications

Engine Model	Yanmar 3TNV70 10.3kW/2200rpm
Type	Direct injection, water cooled, natural intake
No. of cylinder	3
Fuel tank capacity	32L
Hydraulic oil tank capacity	27L
Travel speed	2.58/3.95Km/h
Swing speed	10r/min
Max. Climbing degree	58%
Arm digging force	11.6KN
Bucket digging force	15.5KN
Overall length	3707mm
Overall width	1000mm
Overall height(to top of boom)	1170mm
Overall height(to top of cab)	2424mm
Counterweight ground clearance	484mm
Min ground clearance	175mm
Tail swing radius	665mm
Track ground length	1210mm
Track length	1588mm
Track width	990/1320mm
Track gauge	760/1090mm
Track shoe width	230mm

Max. Digging height	3327mm
Max. Dumping height	2323mm
Max. Digging depth	2110mm
Max. Vertical wall digging depth	1600mm
Max. Digging reach	3947mm
Max. Digging reach at ground level	3889mm
Machine weight	1600kg

Advantages

Equipped with Yanmar engine, meeting EuroV and EPA 4 emission standard. Air filter is equipped with a differential pressure indicator, which has the function of automatic blocking alarm.





QINGDAO ZONGJIN ENGINEERING MACHINERY CO.,LTD.

WOLF (QINGDAO) EQUIPMENT CO.,LTD.



Tel: 0086-532-66739792

Email: info@chinawheelloaders.com

WeChat/Whatsapp: +8613589171650

Address: No.88 Chunyang Rd,Chengyang,Qingdao,China